

Calibrated devices of the Material Testing Laboratory


Instron 8874

biaxial material testing machine

Capacity: 25 kN; 100 Nm

Test types: static/cyclic; axial/torque

[More information](#)



Instron AVE

advanced video extensometer


FOV: 200 mm

Accuracy: $\pm 2.5 \mu\text{m}$

[More information](#)

Equipment

Last Updated Tuesday, 03 May 2016 10:28



[More information](#) [Buy](#) [Rent](#) [Return](#) [Share](#) [Print](#) [Download](#) [Feedback](#)



[More information](#) [Buy](#) [Rent](#) [Return](#) [Share](#) [Print](#) [Download](#) [Feedback](#)



[More information](#) [Buy](#) [Rent](#) [Return](#) [Share](#) [Print](#) [Download](#) [Feedback](#)



[More information](#) [Buy](#) [Rent](#) [Return](#) [Share](#) [Print](#) [Download](#) [Feedback](#)

Equipment

Last Updated Tuesday, 03 May 2016 10:28




[3D printer](#) Model: F1230 Dimensions: 200x200x250 mm



[Spectrophotometer](#) Model: UV-1601PC Dimensions: 150x150x150 mm

Equipment

Last Updated Tuesday, 03 May 2016 10:28



[Mechanical instruments](#)



[Manual tool machine](#)



[Lathe machine](#)

Equipment

Last Updated Tuesday, 03 May 2016 10:28

